

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	153299	((laundry or washing) near2 machine) or (automatic near2 washer) or "68".clas. or "34".clas.)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/08/09 09:13
L2	359	((laundry or washing) near2 machine) or (automatic near2 washer) or "68".clas. or "34".clas.) and (frame or cabinet) with (panel or cover) with (slot or slit or groove or channel or recess)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/08/09 09:14
L3	376	((laundry or washing) near2 machine) or (automatic near2 washer) or "68".clas. or "34".clas.) and (frame or cabinet) with (panel or cover) with (notch or slot or slit or groove or channel or recess)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/08/09 09:14
L4	385	((laundry or washing) near2 machine) or (automatic near2 washer) or "68".clas. or "34".clas.) and (frame or cabinet) with (panel or cover) with (notch\$2 or slot\$2 or slit or groove\$1 or channel or recess)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/08/09 09:14
L5	257	((laundry or washing) near2 machine) or (automatic near2 washer) or "68".clas. or "34".clas.) and (frame or cabinet) with (panel or cover) near10 (notch\$2 or slot\$2 or slit or groove\$1 or channel or recess)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/08/09 09:15
L6	3	((laundry or washing) near2 machine) or (automatic near2 washer) or "68".clas. or "34".clas.) and (frame or cabinet) with (panel or cover) near10 (notch\$2 or slot\$2 or slit or groove\$1 or channel or recess) with strength	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/08/09 09:15
L7	11	((laundry or washing) near2 machine) or (automatic near2 washer) or "68".clas. or "34".clas.) and (frame or cabinet) with (panel or cover) with (notch\$2 or slot\$2 or slit or groove\$1 or channel or recess) same strength	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/08/09 09:16

EAST Search History

L8	15	((laundry or washing) near2 machine) or (automatic near2 washer) or "68".clas. or "34".clas.) and (frame or cabinet) with (panel or cover) with (notch\$2 or slot\$2 or slit or groove\$1 or channel or recess) same (stress or strength)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/08/09 10:01
L9	8	("3153975" "4173379" "4295693" "4307588" "4462647" "4618193" "5584549").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/08/09 09:44
L10	4	("3381700" "5425255").PN. OR ("5560231").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/08/09 09:57
L11	32	("2798306" "2830384" "2882610" "3000108" "3309783" "3325908" "3399464" "3584394" "3809278" "3892048" "3917757" "4317527" "4324035" "4512477" "4560079" "4570814" "4652969").PN. OR ("4840285").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/08/09 09:59
L12	590	((laundry or washing) near2 machine) or (automatic near2 washer) or "68".clas. or "34".clas.) and (frame or cabinet) with (panel or cover) with (removable or detachable or attach\$3 or attachable or serviceable)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/08/09 10:22
L13	26	("1450808" "2793518" "2833137" "2866273" "3139744" "3150904" "3611756" "3670746").PN. OR ("4454732").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/08/09 10:21
L14	32	("1585102" "1763306" "2793518" "2833137" "2866273" "2899253" "3139744" "3545235" "4306325" "4454732" "4462225" "4507942" "4680948" "4713949" "4821535").PN. OR ("4989426").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/08/09 10:21
L15	1142	((laundry or washing) near2 machine) or (automatic near2 washer) or "68".clas. or "34".clas.) and (frame or cabinet) with (panel or cover) with (front)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/08/09 10:36

EAST Search History

L16	231	((laundry or washing) near2 machine) or (automatic near2 washer) or "68".clas. or "34".clas.) and (frame or cabinet) with (panel or cover) with (removable or detachable or servicable)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/08/09 10:35
L17	844	((laundry or washing) near2 machine) or (automatic near2 washer) or "68".clas. or "34".clas.) and (frame or cabinet) with (panel or cover) near5 (front)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/08/09 10:35
L18	43	D06F037/18.ipc.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/08/09 10:35
L19	124	D06F037/18.ipc.	EPO; JPO; DERWENT	OR	ON	2007/08/09 10:35
L20	14	((laundry or washing) near2 machine) or (automatic near2 washer) or "68".clas. or "34".clas.) and (frame or cabinet) with (panel or cover) with (removable or detachable or servicable)	DERWENT	OR	ON	2007/08/09 10:36
L21	145	((laundry or washing) near2 machine) or (automatic near2 washer) or "68".clas. or "34".clas.) and (frame or cabinet) with (panel or cover) with (front)	DERWENT	OR	ON	2007/08/09 10:36

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	153299	((laundry or washing) near2 machine) or (automatic near2 washer) or "68".clas. or "34".clas.)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/08/09 09:13
L2	359	((laundry or washing) near2 machine) or (automatic near2 washer) or "68".clas. or "34".clas.) and (frame or cabinet) with (panel or cover) with (slot or slit or groove or channel or recess)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/08/09 09:14
L3	376	((laundry or washing) near2 machine) or (automatic near2 washer) or "68".clas. or "34".clas.) and (frame or cabinet) with (panel or cover) with (notch or slot or slit or groove or channel or recess)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/08/09 09:14
L4	385	((laundry or washing) near2 machine) or (automatic near2 washer) or "68".clas. or "34".clas.) and (frame or cabinet) with (panel or cover) with (notch\$2 or slot\$2 or slit or groove\$1 or channel or recess)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/08/09 09:14
L5	257	((laundry or washing) near2 machine) or (automatic near2 washer) or "68".clas. or "34".clas.) and (frame or cabinet) with (panel or cover) near10 (notch\$2 or slot\$2 or slit or groove\$1 or channel or recess)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/08/09 09:15
L6	3	((laundry or washing) near2 machine) or (automatic near2 washer) or "68".clas. or "34".clas.) and (frame or cabinet) with (panel or cover) near10 (notch\$2 or slot\$2 or slit or groove\$1 or channel or recess) with strength	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/08/09 09:15
L7	11	((laundry or washing) near2 machine) or (automatic near2 washer) or "68".clas. or "34".clas.) and (frame or cabinet) with (panel or cover) with (notch\$2 or slot\$2 or slit or groove\$1 or channel or recess) same strength	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/08/09 09:16

EAST Search History

L8	15	((laundry or washing) near2 machine) or (automatic near2 washer) or "68".clas. or "34".clas.) and (frame or cabinet) with (panel or cover) with (notch\$2 or slot\$2 or slit or groove\$1 or channel or recess) same (stress or strength)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/08/09 10:01
L9	8	("3153975" "4173379" "4295693" "4307588" "4462647" "4618193" "5584549").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/08/09 09:44
L10	4	("3381700" "5425255").PN. OR ("5560231").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/08/09 09:57
L11	32	("2798306" "2830384" "2882610" "3000108" "3309783" "3325908" "3399464" "3584394" "3809278" "3892048" "3917757" "4317527" "4324035" "4512477" "4560079" "4570814" "4652969").PN. OR ("4840285").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/08/09 09:59
L12	590	((laundry or washing) near2 machine) or (automatic near2 washer) or "68".clas. or "34".clas.) and (frame or cabinet) with (panel or cover) with (removable or detachable or attach\$3 or attachable or serviceable)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/08/09 10:22
L13	26	("1450808" "2793518" "2833137" "2866273" "3139744" "3150904" "3611756" "3670746").PN. OR ("4454732").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/08/09 10:21
L14	32	("1585102" "1763306" "2793518" "2833137" "2866273" "2899253" "3139744" "3545235" "4306325" "4454732" "4462225" "4507942" "4680948" "4713949" "4821535").PN. OR ("4989426").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/08/09 10:21
L15	1142	((laundry or washing) near2 machine) or (automatic near2 washer) or "68".clas. or "34".clas.) and (frame or cabinet) with (panel or cover) with (front)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/08/09 10:36

EAST Search History

L16	231	((laundry or washing) near2 machine) or (automatic near2 washer) or "68".clas. or "34".clas.) and (frame or cabinet) with (panel or cover) with (removable or detachable or servicable)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/08/09 10:35
L17	844	((laundry or washing) near2 machine) or (automatic near2 washer) or "68".clas. or "34".clas.) and (frame or cabinet) with (panel or cover) near5 (front)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/08/09 10:35
L18	43	D06F037/18.ipc.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/08/09 10:35
L19	124	D06F037/18.ipc.	EPO; JPO; DERWENT	OR	ON	2007/08/09 10:35
L20	14	((laundry or washing) near2 machine) or (automatic near2 washer) or "68".clas. or "34".clas.) and (frame or cabinet) with (panel or cover) with (removable or detachable or servicable)	DERWENT	OR	ON	2007/08/09 10:36
L21	145	((laundry or washing) near2 machine) or (automatic near2 washer) or "68".clas. or "34".clas.) and (frame or cabinet) with (panel or cover) with (front)	DERWENT	OR	ON	2007/08/09 10:36
S98	70	D06F39/12.ipc.	EPO; JPO; DERWENT	OR	ON	2007/08/08 12:12
S99	3119	D06F039/12.ipc.	EPO; JPO; DERWENT	OR	ON	2007/08/08 12:13
S10 0	52	(S98 or S99) and (notch or flange or recess or relief) with (frame or cabinet or panel)	EPO; JPO; DERWENT	OR	ON	2007/08/08 12:16
S10 1	15	(S98 or S99) and (U near2 shape\$2) with (frame or cabinet or panel)	EPO; JPO; DERWENT	OR	ON	2007/08/08 12:18
S10 2	2	(S98 or S99) and (stress) with (frame or cabinet or panel)	EPO; JPO; DERWENT	OR	ON	2007/08/08 12:20
S10 3	18065	LG.as. and (frame or cabinet or panel).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/08/08 12:20
S10 4	0	LG.as. and (frame or cabinet or panel).ab. with notch.clms.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/08/08 12:21

EAST Search History

S10 5	121	LG.as. and ((frame or cabinet or panel) with flange).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/08/08 14:13
S10 6	127	(washing near2 machine) and ((frame or cabinet or panel) with flange).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/08/08 12:37
S10 7	5970	((relie\$3 or stress or strain or load or force or bearing or bending or corner or strength\$4) and (torsion support or fastener and deformation or relief or notch or flange or bending or vibration or indentation or tab or construction)) same cabinet) and (cover or panel or frame) and cabinet and ("68".clas. or "312".clas. or "228".clas. or "248".clas. or (washing near2 machine))	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2007/08/08 13:22
S10 8	6939	((relie\$3 or stress or strain or load or force or bearing or bending or corner or strength\$4) and (torsion or support or fastener and deformation or relief or notch or flange or bending or vibration or indentation or tab or construction)) same cabinet) and (cover or panel or frame) and cabinet and ("68". clas. or "312".clas. or "228".clas. or "248".clas. or (washing near2 machine))	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2007/08/08 13:22
S10 9	9322	(stress or strain or load or force) and (torsion or deform\$5 or bend\$3 or relief or strength\$4) and (notch or flange or recess\$2) same (cabinet or cover or panel or frame) and ("68".clas. or "312".clas. or "228".clas. or "248".clas. or (washing near2 machine))	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2007/08/08 13:45
S11 0	117	(stress or strain or load or force) and (torsion or deform\$5 or bend\$3 or relief or strength\$4).ab. and (notch or flange or recess\$2).ab. same (cabinet or cover or panel or frame).ab. and ("68".clas. or "312". clas. or "228".clas. or "248".clas. or (washing near2 machine))	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2007/08/08 13:48

EAST Search History

S11 1	16	(notch or flange) with (u near4 recess\$2) same (cabinet or cover or panel or frame) and ("68".clas. or "312".clas. or (washing near2 machine).ab.)	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2007/08/08 13:48
S11 2	18	(notch or flange) with (u near4 (cutout or recess\$2)) same (cabinet or cover or panel or frame) and ("68".clas. or "312".clas. or (washing near2 machine).ab.)	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2007/08/08 14:44
S11 3	29	(notch relieving stress).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2007/08/08 14:00
S11 4	2	(washing near2 machine) and (cabinet or frame or panel) same (notch with stress)	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2007/08/08 14:01
S11 5	8	(washing near2 machine) and (cabinet or frame or panel) and (notch with stress)	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2007/08/08 14:01
S11 6	186	(cabinet or frame or panel) with (notch with stress)	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2007/08/08 14:02
S11 7	300	("68".clas. or (washing near2 machine)) and (cabinet or frame or panel) with notch	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2007/08/08 14:05
S11 8	1862	("68".clas. or "312".clas. or (washing near2 machine)) and (cabinet or frame or panel) with notch	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2007/08/08 17:42
S11 9	3	("68".clas. or "312".clas. or (washing near2 machine)) and (cabinet or frame or panel) with notch with stress	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2007/08/08 14:06
S12 0	2541	((312/257.1) or (312/228) or (312/265.6)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/08/08 14:14
S12 1	0	S120 and stress with notch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/08/08 14:14

EAST Search History

S12 2	0	S120 and stress with notch\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/08/08 14:15
S12 3	283	S120 and notch\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/08/08 14:15
S12 4	283	S120 and notch\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/08/08 14:48
S12 5	13	("3612639").URPN.	USPAT	OR	OFF	2007/08/08 14:25
S12 6	10	("68".clas. or "312".clas. or (washing near2 machine)) and (cabinet or frame or panel) with (stress with recess\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2007/08/08 14:27
S12 7	18	("1919366" "2876927" "3363796" "3406858" "3813137" "3858409" "3923355" "3940195" "3944111").PN. OR ("4498713"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/08/08 14:27
S12 8	20	("68".clas. or "312".clas. or (washing near2 machine)) and (cabinet or frame or panel) with (mechanical with stress)	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2007/08/08 14:28
S12 9	15	("68".clas. or "312".clas. or (washing near2 machine)) and panel with cabinet with stress	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2007/08/08 14:29
S13 0	21	(cabinet or cover or panel or frame) with (stress near2 concentrat\$4) and ("68".clas. or "312".clas. or (washing near2 machine).ab.)	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2007/08/08 14:46
S13 1	22	(cabinet or cover or panel or frame) with (stress with concentrat\$4) and ("68".clas. or "312".clas. or (washing near2 machine).ab.)	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2007/08/08 17:42
S13 2	44	(cabinet or cover or panel or frame) same (stress with concentrat\$4) and ("68".clas. or "312".clas. or (washing near2 machine).ab.)	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2007/08/08 14:46

EAST Search History

S13 3	2541	((312/257.1) or (312/228) or (312/265.6)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/08/08 14:48
S13 4	0	S133 and (washing near2 machine) and (stress with concentrat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/08/08 14:48
S13 5	534	LG.as. and (washing near2 machine)	US-PGPUB; USPAT	OR	ON	2007/08/08 16:12
S13 6	1	LG.as. and (washing near2 machine) and cabinet.ab. and perrin.xa.	US-PGPUB; USPAT	OR	ON	2007/08/08 16:15
S13 7	65	LG.as. and (washing near2 machine) and frame	US-PGPUB	OR	ON	2007/08/08 16:15
S13 8	1	("20040168484").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/08/08 16:21
S13 9	1	("5584549").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/08/08 16:21
S14 0	1	("6460949").URPN.	USPAT	OR	OFF	2007/08/08 17:16
S14 1	1	("6460949").URPN.	USPAT	OR	OFF	2007/08/08 17:17
S14 2	1	("6460949").URPN.	USPAT	OR	OFF	2007/08/08 17:17
S14 3	5	("4295692" "5261432" "5368379" "6460949" "6698438").PN. OR ("7156113").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/08/08 17:17
S14 4	3	("4307588" "5855353").PN. OR ("6460949").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/08/08 17:17
S14 5	24	("1798183" "2500467" "2619827" "2633726" "3391469" "4007612").PN. OR ("4307588").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/08/08 17:18
S14 6	30	("0676509" "0852699" "0881673" "0972476" "2019045" "2276139" "2866676" "3006066" "3337983" "3347609" "3717396" "3749465" "3760970" "4128354" "4153311" "4173379" "4307588" "4319713").PN. OR ("4692987").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/08/08 17:19

EAST Search History

S14 7	19	("3347609").URPN.	USPAT	OR	OFF	2007/08/08 17:21
S14 8	24	("1798183" "2500467" "2619827" "2633726" "3391469" "4007612").PN. OR ("4307588"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/08/08 17:25
S14 9	754	("68".clas. or "312".clas. or (washing near2 machine)) and (cabinet or frame or panel) with (slot and notch)	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2007/08/08 17:43
S15 0	0	("68".clas. or "312".clas. or (washing near2 machine)) and (cabinet or frame or panel) with (slot and notch) with stress	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2007/08/08 17:43
S15 1	0	("68".clas. or "312".clas. or (washing near2 machine)) and (cabinet or frame or panel) with (slot and notch) with vibration\$4	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2007/08/08 17:43
S15 2	6	("68".clas. or "312".clas. or (washing near2 machine)) and (cabinet or frame or panel) with (slot and notch).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2007/08/08 17:43
S15 3	2	("68".clas. or "312".clas. or (washing near2 machine)) and (cabinet or frame or panel) with (slot and notch) with strength	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2007/08/08 17:43
S15 4	20	("68".clas. or "312".clas. or (washing near2 machine)) and (cabinet or frame or panel) with (slot and notch) same strength	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2007/08/08 17:43
S15 5	20	S153 or S154	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2007/08/08 17:43